



CONTROL COMPARTMENT DOOR IS NOT SHOWN IN THE DRAWING FOR SHOWING INTERNAL COMPONENTS IN CONTROL COMPARTMENT ONLY CONTROL COMPARTMENT UNIT IS SHOWN FOR BETTER CLARITY

NOTE:
1. BACK CHANNEL COOLING: BOTTOM IN TOP OUT
2. CABLE FEED: BOTTOM ENTRY & TOPOUT
3. PLINTH HEIGHT CAN BE 100,200 & 400mm HEIGHT

CRITICAL CHARACTERISTICS
KEY CHARACTERISTICS
INSPECTION
MUST COMPLY TO ROHS DIRECTIVE 2011/65/EU

INTERPRET DIM. & TOL. PER ASME Y14.5M-1994		THIRD ANGLE PROJECTION	SCALE	SIZE	MATERIAL
ALL DIMENSIONS ARE IN MILLIMETERS			0.150	A1	
TOLERANCES UNLESS OTHERWISE SPECIFIED					FINISH
X: 1.0 XX: 0.50 L: ±1.0					
— PDM CONTROLLED DRAWING — NOT VALID WITHOUT FROZEN DATE IN ID STAMP					
CHANGED		DESIGNED		CHECKED	
SABARISH	MAY-27-19	Lauri	FEB-08-19		
CONFIDENTIAL - PROPERTY OF DANFOSS A/S NORDBORG, DENMARK. NOT TO BE HANDED OVER TO ANY OTHER PARTY.		COPYIED OR BE USED BY A THIRD PARTY. TWO OR THREE DIMENSIONAL REPRODUCTION OF CONTENTS IS TO BE AUTHORIZED BY DANFOSS A/S.		132R0275	132R0275
REV. 002		1 OF 3		MCAD-PLV-E5H-IP54 -FUSDIS-CON-TOPEXIT	



